

GROUP 8

103 questions

DT categories · theory questions

1. Trucks carrying people in an equipped cargo bed are permitted to proceed at a speed not exceeding:

1. 60 km/h.
2. 70 km/h.
3. 80 km/h.

Answer: 1

2. Outside populated areas, at what distance before the beginning of a hazardous section is this warning sign installed?



1. 50–100 m.
2. 150–300 m.
3. 300–500 m.

Answer: 2

3. Vehicles transporting organized groups of children are permitted to proceed at a speed not exceeding:


1. 60 km/h.
2. 70 km/h.
3. 80 km/h.

Answer: 1

4. In populated areas, vehicles are permitted to proceed at a speed not exceeding:

1. 60 km/h.
2. 80 km/h.
3. 90 km/h.

Answer: 1

5. In which direction is traffic permitted?

1. Straight ahead only.
2. Straight ahead and to the right.
3. **Straight ahead, to the right, and to the left.**
4. In all directions.

Answer: 3

6. Outside populated areas, intercity buses are permitted to proceed at a speed not exceeding:

1. 70 km/h.
2. **90 km/h.**
3. 110 km/h.

Answer: 2

7. Are drivers of suburban, interregional, and intercity buses permitted to exceed 60 km/h in populated areas?

1. Permitted only on roads with two or more lanes for traffic in the same direction.
2. Permitted.
3. **Prohibited.**

Answer: 3

8. Is the driver of an intercity bus permitted to exceed 70 km/h outside populated areas?

1. Permitted only when proceeding on roads with two or more lanes for traffic in the same direction.
2. **Permitted, provided the speed does not exceed 90 km/h.**
3. Prohibited.

Answer: 2

9. During towing, if the hazard warning lights are absent or malfunctioning, the emergency warning triangle must be placed:

1. **At the rear of the towed vehicle.**
2. At the front of the towing vehicle.
3. On either vehicle, in a visible location, at the driver's discretion.

Answer: 1

10. When towing with a rigid coupling, the distance between the vehicles must not exceed:

1. 2 m.
2. 3 m.
3. 4 m.
4. 5 m.
5. 6 m.

Answer: 3

11. When towing with a rigid or flexible coupling, in which of the following cases is carrying people in the towed vehicle permitted?

1. In a bus.
2. In a passenger car.
3. In the cargo bed of a truck when towing with a rigid coupling.

Answer: 2

12. What is the maximum permitted speed when towing with a motor vehicle?

1. 30 km/h.
2. 40 km/h.
3. 50 km/h.
4. 60 km/h.
5. 70 km/h.


Answer: 3

13. Under icy road conditions, towing is prohibited:

1. With a flexible coupling.
2. With a rigid coupling.
3. By the partial-loading method.

Answer: 1

14. What is the maximum speed at which towing may be performed under the indicated conditions?



1. 30 km/h.
2. 50 km/h.
3. 70 km/h.
4. 80 km/h.

Answer: 2

15. When towing with a flexible or rigid coupling, is carrying people in the towed motor vehicle permitted?

1. Permitted in a bus and trolleybus.
2. Permitted only in a passenger car.
3. Permitted in the cargo bed of a truck and in a passenger car.
- 4. Permitted in the cab of a truck and in a passenger car.**
5. Prohibited.

Answer: 4

16. Under icy road conditions, towing:

1. Is prohibited.
2. Is permitted.
- 3. Is permitted when towing with a rigid coupling or by the partial-loading method.**

Answer: 3

17. What is the maximum permitted speed when towing a vehicle with a flexible coupling?

1. 70 km/h.
2. 60 km/h.
- 3. 50 km/h.**
4. 40 km/h.
5. 30 km/h.

Answer: 3

18. In which case is towing prohibited?

1. Under icy road conditions with a rigid coupling.
- 2. Under icy road conditions with a flexible coupling.**
3. By motorcycles with sidecars.

Answer: 2

19. When towing motor vehicles outside populated areas, the speed must not exceed:

1. 30 km/h.
2. 40 km/h.
- 3. 50 km/h.**
4. 60 km/h.
5. 70 km/h.

Answer: 3

20. When towing, what distance between the vehicles must be maintained by a flexible coupling?

1. 1–3 m.
2. 2–4 m.
3. 3–6 m.
- 4. 4–6 m.**
5. 4–8 m.

Answer: 4

21. When towing with a rigid coupling, the distance between the vehicles must not exceed:

1. 4 m.
2. 5 m.
3. 6 m.

Answer: 1

22. Is towing motorcycles with sidecars permitted?

1. Permitted only with a rigid coupling.
2. Prohibited.
3. Permitted.

Answer: 3

23. What is the maximum permitted speed when towing with a flexible coupling?

1. 70 km/h.
2. 60 km/h.
3. 50 km/h.
4. 40 km/h.
5. 30 km/h.

Answer: 3

24. Is carrying people in a cargo trailer permitted?

1. Prohibited.
2. Permitted.
3. Permitted only for persons accompanying the cargo.

Answer: 1

25. When towing with a rigid or flexible coupling, is carrying people in the towed bus permitted?

1. Permitted.
2. Permitted for up to 8 passengers.
3. Prohibited.

Answer: 3

26. Under icy road conditions, towing a bus is prohibited:

1. With a flexible coupling.
2. With a rigid coupling.

Answer: 1

27. When towing with a flexible or rigid coupling, is carrying people in the towed motor vehicle permitted?

1. Permitted in a bus and trolleybus.
2. Permitted in the cab of a truck and in a passenger car.
3. Permitted in the cargo bed of a truck and in a passenger car.
4. Prohibited.

Answer: 2

28. Carrying people is prohibited if:

1. The number of people in the passenger compartment of a bus operating on a tourist route exceeds the number of equipped seats.
2. The number of people in the passenger compartment of a bus operating on an intercity route exceeds the number of equipped seats.

3. In both cases.

Answer: 3

29. When transporting an organized group of children by bus, there must be at least:

1. **One adult accompanying person.**
2. Two adult accompanying persons.
3. Three adult accompanying persons.

Answer: 1

30. What is the maximum permitted speed outside populated areas on all roads for buses providing interregional and intercity passenger transportation?

1. 60 km/h.
2. 70 km/h.
3. **90 km/h.**

Answer: 3

31. Are buses permitted to proceed at a speed of 70 km/h outside populated areas?

1. **Permitted.**
2. Prohibited.

Answer: 1

32. In populated areas, buses providing intercity transportation are permitted to proceed at a speed not exceeding:

1. **60 km/h.**
2. 70 km/h.
3. 90 km/h.

Answer: 1

33. What is the maximum permitted speed outside populated areas for buses providing intercity transportation?

1. 60 km/h.
2. 70 km/h.
3. **90 km/h.**

Answer: 3

34. What is the maximum permitted speed for buses within areas marked by the "Residential Zone" and "End of Residential Zone" signs?

1. **20 km/h.**
2. 30 km/h.
3. 40 km/h.

Answer: 1

35. When towing with a rigid or flexible coupling, is carrying people in the towed bus permitted?

1. Permitted.
2. **Prohibited.**

Answer: 2

36. Is carrying passengers in the towing bus permitted?

1. Prohibited.
2. **Permitted.**

Answer: 2

37. When this sign is present, what is the maximum speed at which drivers of intercity buses are permitted to proceed?



1. 70 km/h.
2. **90 km/h.**
3. 110 km/h.

Answer: 2

38. What is the maximum speed at which the driver of the towing bus may proceed in this situation?



1. **50 km/h.**
2. 60 km/h.
3. 90 km/h.

Answer: 1

39. What is the maximum speed at which the driver of an intercity bus may proceed in this situation?



1. 60 km/h.
2. 70 km/h.
3. 80 km/h.
4. 90 km/h.

Answer: 4

40. At what speed may the bus driver continue within the area marked by this traffic sign?



1. Less than 60 km/h.
2. Not less than 60 km/h but not more than 70 km/h.
3. Not less than 60 km/h but not more than 90 km/h.

Answer: 3

41. On roads marked with this sign, drivers of intercity buses are permitted to proceed at a speed not exceeding:



1. 60 km/h.
2. 80 km/h.
3. 90 km/h.

Answer: 1

42. On roads marked with this sign, drivers of intercity buses are permitted to proceed at a speed not exceeding:



1. 60 km/h.
2. 80 km/h.
3. 90 km/h.

Answer: 3

43. In this situation, is carrying passengers in the bus passenger compartment permitted?



1. **Prohibited.**
2. Permitted.
3. Permitted according to the number of seats.

Answer: 1

44. When towing with a rigid or flexible coupling, is carrying passengers in the towed bus permitted?

1. **Prohibited.**
2. Permitted when towing with a rigid coupling.
3. Permitted.

Answer: 1

45. During towing, the towed vehicle must have the following activated:

1. High-beam headlights.
2. Low-beam headlights.
3. **Hazard warning lights.**

Answer: 3

46. What is the maximum permitted speed for intercity buses on freeways?

1. 70 km/h.
2. 80 km/h.
3. **90 km/h.**
4. 100 km/h.
5. 110 km/h.

Answer: 3

47. What is the maximum permitted speed for a bus on road sections where this traffic sign is in effect?



1. 70 km/h.
2. 80 km/h.
3. **90 km/h.**
4. 100 km/h.
5. 110 km/h.

Answer: 3

48. What is the maximum permitted speed for intercity buses on freeways?

1. 70 km/h.
2. 80 km/h.
3. 110 km/h.
4. 100 km/h.
5. **90 km/h.**

Answer: 5

49. What is the maximum permitted speed for vehicles within areas where the “Residential Zone” and “End of Residential Zone” traffic signs apply?

1. Not exceeding 5 km/h.
2. Not exceeding 10 km/h.
3. **Not exceeding 20 km/h.**

Answer: 3

50. What is the maximum permitted speed for passenger cars on road sections where this traffic sign is in effect?



1. 70 km/h.
2. 80 km/h.
3. 90 km/h.
4. 100 km/h.
5. 110 km/h.

Answer: 5

51. When towing a motor vehicle, in which lane may you continue on this road?



1. The right lane only.
2. Any lane.

Answer: 1

52. What conditions must a driver take into account when selecting a speed within the permitted limits?

1. The condition of the road surface.
2. Visibility in the direction of movement.
3. Both of the above conditions.

Answer: 3

53. Within the permitted limits, what maximum speed should a driver select?

1. A speed that ensures full control of the vehicle.
2. The driver may select any speed that does not exceed the maximum permitted speed.

Answer: 1

54. A driver is prohibited from:

1. Exceeding the maximum speed specified by the technical characteristics of the vehicle.
2. Exceeding the speed specified by the "Speed Limit" identification sign displayed on the vehicle.
3. Driving at an unnecessarily low speed and thereby impeding the movement of other vehicles.
4. Braking suddenly unless necessary to prevent a traffic accident.
5. **All of the above actions.**

Answer: 5

55. Which sign limits speed?

1. 1 and 3.
2. 1 and 4.
3. **2**
4. 2 and 3.

Answer: 3

56. A driver is prohibited from:

1. Crossing a railroad crossing at a speed greater than 30 km/h.
2. Crossing a railroad crossing at a speed below 30 km/h.
3. **Proceeding across a railroad crossing, without the permission of the head of the railroad track section, in slow-moving vehicles with a speed below 8 km/h or in tractors coupled to sledges.**

Answer: 3

57. When approaching an intersection, the driver must operate the vehicle at a speed that:

1. Does not exceed the maximum permitted speed established for that road section.
2. **Allows the driver to stop and yield to vehicles having the right-of-way.**

Answer: 2

58. A driver is prohibited from increasing speed:

1. **If doing so would prevent a driver who is passing from completing the passing maneuver.**
2. If doing so is necessary to clear the way for a driver who has stopped in order to yield.
3. If doing so is necessary to clear the intersection.

Answer: 1

59. A driver must reduce speed:

1. When approaching a vehicle displaying the "Transportation of Children" identification sign while children are boarding or exiting.
2. If blinded.
3. When an obstruction or danger to traffic arises.
4. When approaching a vehicle displaying flashing blue and red beacons and using a special audible signal, as well as when approaching a stationary vehicle displaying flashing blue or flashing blue and red beacons.
5. **In all of the above cases.**

Answer: 5**60. When must a bus driver activate the hazard warning lights when towing another motor vehicle?**

1. The hazard warning lights must be activated only on the towing bus to warn drivers approaching from behind.
2. The hazard warning lights must be activated on both the towing bus and the towed vehicle to ensure maximum visibility.
3. **The hazard warning lights must be activated only on the towed vehicle.**

Answer: 3**61. Must an "Emergency Stop" sign be placed at the rear of a towed vehicle if the hazard warning lights are activated?**

1. Yes, both measures must be used simultaneously.
2. **No, the "Emergency Stop" sign is used only if the hazard warning lights are absent or malfunctioning.**

Answer: 2**62. Is a towing bus permitted to cross a railroad crossing?**

1. **Permitted.**
2. Prohibited.

Answer: 1**63. Is a bus driver permitted to tow another vehicle with a rigid coupling if there is no driver in the towed vehicle?**

1. Prohibited, because during any type of towing a driver must be present at the controls of the towed vehicle.
2. **Permitted if the design of the rigid coupling ensures that, when proceeding straight ahead, the towed vehicle follows the path of the towing vehicle.**

Answer: 2**64. When a bus tows another vehicle with a flexible coupling, how many warning devices (flags or panels) must be attached to the flexible link to make it visible?**

1. One for each meter.
2. **At least two warning devices.**
3. At least one warning device.

Answer: 2

65. During towing, is it permitted to use a rigid coupling of any design or length?

1. **Not permitted, because the design of the rigid coupling must comply with the requirements of the applicable standards.**
2. Permitted if at least two red-and-white warning flags are attached to the rigid coupling.

Answer: 1

66. Is a bus permitted to tow a vehicle whose windshield wipers and windshield washers provided by design do not operate?

1. **Permitted, except when the towed vehicle is being controlled by a driver.**
2. Prohibited in all weather conditions, because if the windshield wipers are inoperative, any movement of the vehicle on the roadway is prohibited.

Answer: 1

67. Is it permitted to tow a bus whose steering system is inoperative?

1. **Permitted when towing by the partial-loading method.**
2. Prohibited by any method; if the steering system is inoperative, the vehicle may be transported only by a recovery vehicle.

Answer: 1

68. Is a bus with an actual mass of 3 metric tons permitted to tow a passenger car with an inoperative braking system and an actual mass of 1.7 metric tons?

1. Permitted.
2. **Prohibited.**

Answer: 2

69. Is a bus with an actual mass of 3 metric tons permitted to tow a passenger car with an inoperative braking system and an actual mass of 1.3 metric tons?

1. Prohibited.
2. **Permitted only with a rigid coupling.**

Answer: 2

70. Which documents must a person providing individual driving instruction carry?

1. A document issued in the prescribed manner authorizing the person to provide driving instruction.
2. **A driver's license authorizing the operation of vehicles of the corresponding category.**
3. Both documents must be carried.

Answer: 2

71. Is the statement correct that the number of persons in the passenger compartment of buses operating on intercity routes must not exceed the number of equipped seats?

1. No, it is not correct.
2. **Yes, it is correct.**

Answer: 2

72. Is the statement correct that the number of persons in the passenger compartment of buses transporting organized groups of children must not exceed the number of equipped seats?

1. Yes, it is correct.
2. No, it is not correct.

Answer: 1

73. When is a bus driver permitted to open the passenger-compartment doors for passengers to board or exit, and when is the driver permitted to begin moving?

1. The driver may open the doors while approaching the stop, when the bus speed is already minimal, and may begin moving when there are no passengers left at the stop.
2. The driver must keep the doors closed until the vehicle has come to a complete stop and open them only after stopping, and may begin moving only after the doors are fully closed.

Answer: 2

74. Transportation of people is prohibited if:

1. The number of people in the passenger compartment of a bus operating on tourist routes exceeds the number of equipped seats.
2. The bus doors are partially open.
3. In both cases.

Answer: 3

75. Organized transportation of groups of children is carried out:

1. By a bus displaying the "Transportation of Children" identification sign.
2. By a bus displaying the "Speed Limit" identification sign.
3. In both cases.

Answer: 1

76. In which direction may the driver of a tourist bus proceed in this situation?



1. Straight ahead only.
2. In all directions.

Answer: 2

77. Is the driver of a tourist bus permitted to pick up a passenger in the indicated situation?



1. Yes.
2. **No.**
3. Yes, if this does not interfere with public transit vehicles.

Answer: 2

78. When towing a passenger car with a bus, the maximum permitted speed is:

1. 90 km/h.
2. 60 km/h.
3. **50 km/h.**

Answer: 3

79. What must a bus driver do if the reversible traffic signal is switched off while proceeding in a reversible lane?

1. Continue to the nearest intersection and then change to the right of the pavement marking.
2. **Immediately change to the right of the pavement marking.**

Answer: 2

80. Are buses permitted to use residential zones for through traffic?

1. Permitted only for residents living there.
2. Permitted in designated places.
3. **Prohibited.**
4. Permitted whenever necessary.

Answer: 3

81. "Organized transportation of groups of children" means:

1. The organized transportation of three or more children of preschool and school age.
2. **The organized transportation by a motor vehicle, excluding public transit vehicles, of two or more children of preschool and school age.**

Answer: 2

82. What is called a "change of direction of travel"?

1. A maneuver performed for the purpose of entering another road.
2. A maneuver performed for the purpose of entering another road or an adjacent area.
3. **A change from the previously selected direction of travel, excluding reversing, performed by making a turn or U-turn.**
4. A change from the previously selected direction of travel, including reversing, performed by making a turn or U-turn.

Answer: 3

83. An "organized convoy" is:

1. **A group of at least three motor vehicles proceeding one after another in the same traffic lane with their headlights continuously activated, escorted at the front by a vehicle with flashing blue and red beacons activated.**
2. A group of at least two motor vehicles proceeding one after another in the same traffic lane with their headlights continuously activated, escorted at the front and rear by vehicles with flashing blue and red beacons activated.

Answer: 1

84. If the roadway is divided into lanes by pavement markings, a bus driver is permitted to cross broken lines:

1. During heavy traffic when all lanes are occupied.
2. **Only when changing lanes.**
3. In any case.

Answer: 2

85. A bus driver is prohibited from crossing a railroad crossing if the crossing attendant:

1. Is facing or has their back to the driver.
2. Gives a signal with a baton, red lantern, or a flag raised above the head.
3. Has extended the arms to the sides.
4. **In all of the listed cases.**


Answer: 4

86. When approaching a railroad crossing, a bus driver must be guided by:

1. The instructions of the railroad-crossing attendant.
2. The requirements of traffic signals, signs, and pavement markings used to regulate traffic at railroad crossings, and by the position of the barrier.
3. **All of the listed requirements.**

Answer: 3


87. Which of these signs does not apply to public transit buses?



1. 1 and 4.
2. 2 and 4.
3. 3 and 5.
4. 1 and 2.
5. Only 2.

Answer: 4

88. Which of these signs does not apply to vehicles driven by persons with Group I or II disabilities, or persons with profound or severe functional limitations, or vehicles transporting such a person or a child with disability status?



1. 2 and 3.
2. 4 and 1.
3. 1 and 5.
4. 5 and 2.

Answer: 3

89. Which sign does not apply to public transit vehicles?



1



2



3



4



5

1. 1.
2. 2.
3. 3.
4. 4.
5. 5.

Answer: 5

90. A bus driver intends to proceed straight ahead. With the traffic signal flashing yellow, the driver:



1. Must yield to vehicles approaching from the right and left.
2. Must yield only to the tram.
3. **Must yield only to the passenger car.**
4. Will proceed first.

Answer: 3

- 91.** While proceeding in the leftmost lane, a bus driver intends to change to the right lane. In which illustration is the driver required to yield to the passenger car?



1. In the left illustration.
2. In the right illustration.
3. **In both illustrations.**


Answer: 3

- 92.** Is towing with a bus permitted in fog?

1. Not permitted.
2. **Permitted at a speed not exceeding 50 km/h.**

Answer: 2

- 93.** In this situation, the driver of the bus changing into the right lane:



1. **Must not interfere with the passenger car.**
2. Has the right-of-way because the driver is completing a passing maneuver.
3. Has the right-of-way because the bus's right turn signal is activated.

Answer: 1

94. A bus driver must cancel the left turn signal:



1. After changing into the left lane.
2. After passing the truck.
3. After returning to the right lane.

Answer: 1

95. Do the actions of the bus driver proceeding along the center of the road comply with the traffic rules?



1. They comply.
2. They comply if there are no oncoming vehicles.
3. They do not comply.

Answer: 3


96. Which vehicles are permitted to proceed?



1. The bus and the passenger car.
2. Only the bus.
3. Only the passenger car.
4. No vehicles.

Answer: 1

97. Which vehicles are permitted to proceed straight ahead?



1. **Only the truck.**
2. The passenger car and the truck.
3. The truck and the bus.
4. All vehicles.

Answer: 1

98. Must the bus driver yield to the passenger car?



1. Must yield.
2. **Not required.**

Answer: 2

99. Must the bus driver yield to the truck?



1. Must yield.
2. Must yield if the truck has begun changing to the right lane.
3. **Not required.**

Answer: 3

100. Is a bus driver permitted to make a right turn in this situation?



1. Permitted only for the driver of a fixed-route bus.
2. Permitted for the driver of any bus.

Answer: 2

101. You are driving a fixed-route vehicle and intend to make a left turn in this situation. You will pass through the intersection:



1. First.
2. Second.
3. Third.

Answer: 3

- 102.** Within a populated area, is the driver of a bus with a maximum authorized mass exceeding 3.5 metric tons permitted to change into the third lane along the indicated path and stop?



1. Permitted.
2. Not permitted.

Answer: 1

- 103.** You are driving a fixed-route bus and intend to make a U-turn. What must you do in this situation?



1. Perform the maneuver first because fixed-route buses have priority when making U-turns at intersections.
2. Must yield to the passenger car.

Answer: 2